

Ernie Fletcher  
Governor

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Christopher L. Lilly  
Commissioner  
Department of Public Protection



Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

Gregory Coker  
Commissioner

July 28, 2005

Dr. George D. Brown  
Chairman  
Todd County Water District  
P. O. Box 520  
617 West Main Street  
Elkton, KY 42220

RE: Case No. 2005-00316  
Todd County Water District  
(Construct, Finance; 278.023)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received July 28, 2005 and has been assigned Case No. 2005-00316. In all future correspondence or filings in connection with this case, please reference the above case number.

If you need further assistance, please contact my staff at (502) 564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/sa

Dr. George D. Brown  
Chairman  
Todd County Water District  
P. O. Box 520  
617 West Main Street  
Elkton, KY 42220



Honorable W. Randall Jones  
Attorney at Law  
Rubin & Hays  
Kentucky Home Trust Building  
450 South Third Street  
Louisville, KY 40202

